
The image shows the front cover of a book. The main surface is covered in a dense, multi-colored marbled paper pattern. The colors include shades of red, purple, yellow, and green, all set against a dark, almost black background. The marbling consists of irregular, organic shapes and spots. The spine of the book is visible on the left side, and the top and bottom corners are reinforced with a dark, textured material, likely leather or cloth.

STATE LIBRARY OF N.S.W
Mitchell Library

DSM
595.76
P



Alfred Lee.

CASE *SHELF*

N^o



2346

Preserve

A LIST

OF THE



AUSTRALIAN LONGICORNS,

CHIEFLY DESCRIBED AND ARRANGED BY

FRANCIS P. PASCOE, Esq.,

WITH ADDITIONAL LOCALITIES AND CORRECTIONS

BY

GEORGE MASTERS, Esq.,

ASSISTANT CURATOR OF THE AUSTRALIAN MUSEUM,
SYDNEY.


SYDNEY :

F. WHITE, MACHINE PRINTER, WILLIAM STREET.

1868.

3a

A LIST



AUSTRALIAN LONGICORNS,

CHIEFLY DESCRIBED AND ARRANGED BY

FRANCIS P. PASCOE, Esq.,

WITH ADDITIONAL LOCALITIES AND CORRECTIONS

BY

GEORGE MASTERS, Esq.,

ASSISTANT CURATOR OF THE AUSTRALIAN MUSEUM,
SYDNEY.

SYDNEY:

F. WHITE, MACHINE PRINTER, WILLIAM STREET.

1868.

P R E F A C E .




THE following list of the Australian Longicorns has been published in a more extended form by Francis P. Pascoe, Esq., in the Journal of the Linnean Society ; but as this work is rarely or ever seen by the greater part of our Australian Entomologists, I have ventured on this publication, feeling assured that such will prove acceptable.

From personal observations I have been enabled to introduce several localities hitherto unknown ; to add many others to those already given by Mr. Pascoe ; and in some instances to make corrections where I believe the habitats have been erroneously indicated.

The Museum contains about 340 Australian species of this family, 180 of which are named and marked in the list by an asterisk, the remainder being either new or undetermined.

AUSTRALIAN LONGICORNS.



LAMIIDÆ.

ACANTHODERINÆ.

HEBESECIS.

- **Hebesecis marginicollis*. (*Boisduval*.) *Acanthocinus marginicollis*. *Hab.* South Australia; Victoria; New South Wales; Queensland; Tasmania.
- Hebesecis lineola*. (*Newman*.) *Acanthocinus lineola*, *Newman* *Hab.* Victoria; Kangaroo Island; Tasmania.
- **Hebesecis Australis*. (*Boisduval*.) *Acanthocinus Australis*. *Hebecerus inglorius*. *Hab.* Victoria; New South Wales; South Australia.
- **Hebesecis crocogaster*. (*Boisduval*.) *Hab.* South Australia; Victoria; New South Wales; Western Australia.
- **Hebesecis conferta*. (*Pascoe*.) *Hab.* New South Wales; Queensland.
- **Hebesecis nipponoides*. (*Pascoe*.) *Hab.* Port Curtis; Western Australia.
- Hebesecis sparsa*. (*Pascoe*.) *Hab.* Western Australia.
- Hebesecis fuscicornis*. (*Germar*.) *Acanthoderus fuscicornis*. *Hab.* South Australia.
- Hebesecis varicornis*. (*Germar*.) *Crossotus varicornis*. *Hab.* South Australia; New South Wales.
- Hebesecis Germari*. (*Pascoe*.) *Hab.* South Australia
- **Hebesecis sordida*. (*Pascoe*.) *Velora Australis*. *Hab.* Clarence River.
- Hebesecis antennata*. (*Pascoe*.) *Hab.* Port Denison.

PROBATODES.

- **Probatodes plumula* (*Newman*.) *Acanthocinus plumula*. *Hab.* Tasmania; Victoria.

AMEIPSIS.

**Ameipsis marginicollis*. (*Pascoe*.) *Hab.* Queensland.

PROSOPLUS.

Prosoplus Hollandicus. (*Boisduval*.) *Acanthocinus Hollandicus*.
Hab.—?

EXOCENTRINÆ.

PENTACOSMIA.

**Pentacosmia scoparia*. (*Newman*.) *Hab.* Victoria ; New South
Wales ; Queensland.

NEISSA.

Neissa inconspicua. (*Pascoe*.) *Hab.* South Australia, (Gawler.)

Neissa nigrina. (*Pascoe*.) *Hab.* South Australia, (Gawler.)

ILLENA.

**Illæna exilis*. (*Erichson*.) *Hab.* Tasmania.

MESOSINÆ.

BUCYNTHIA.

Bucynthia spiloptera. (*Pascoe*.) *Hygocera spiloptera*. *Hab.*
Hunter's River ; New South Wales.

NIPHONINÆ.

ÆGOMOMUS.

**Ægomomus Woodlarkianus*. (*Montrouzier*.) *Penthea Woodlarkiana*.
Niphona Bakewellii. *Praonetha porosa*. *Hab.* New
South Wales ; Queensland.

Ægomomus torosus. (*Pascoe*.) *Niphona torosa*. *Hab.* South
Australia.

**Ægomomus misellus*. (*Pascoe*.) *Hab.* New South Wales.

Ægomomus oblitus. (*Pascoe*.) *Hab.* New South Wales.

Ægomomus iratus. (*Pascoe*.) *Hab.* Lizard Island.

Ægomomus insularis. (*Pascoe*.) *Coptops abdominalis*, *White*.
Hab. Port Essington.

CORRHENES.

**Corrhenes paula*. (*Germar*.) *Saperda paulla*. *Hab.* South
Australia ; Victoria.

- Corrhenes funesta.* (*Pascoe.*) *Saperda funesta.* *Hab.* South Australia.
Corrhenes stigmatica. (*Pascoe.*) *Saperda stigmatica.* *Hab.* Port Curtis.
Corrhenes mystica. (*Pascoe.*) *Hab.* New South Wales?
 **Corrhenes guttata.* (*Pascoe.*) *Hab.* New South Wales.

MENYLLUS

- **Menyllus maculicornis.* (*Pascoe.*) *Sysspilotus Macleayi.* *Hab.* Rockhampton; Cape York; Port Denison.

SYMPHYLETES.

- **Symphyletes nodosus.* (*Newman.*) *Lamia pulverulens.* L. subfasciata. *Hab.* Victoria; New South Wales; Queensland.
Symphyletes fumatus. (*Pascoe.*) *Hab.* South Australia.
Symphyletes arctos. (*Pascoe.*) *Hab.* Western Australia; South Australia.
Symphyletes pedicornis. (*Fabricius.*) *Cerambyx pedicornis.* *Hab.* New South Wales; Port Curtis.
Symphyletes ingestus. (*Pascoe.*) *Hab.* New South Wales.
Symphyletes vetustus. (*Pascoe.*) *Hab.* Lizard Island.
Symphyletes moratus. (*Pascoe.*) *Hab.* Port Curtis.
Symphyletes devotus. (*Pascoe.*) *Hab.* Western Australia.
Symphyletes solutus. (*Pascoe.*) *Hab.* Port Curtis; Wide Bay.
 **Symphyletes munitus.* (*Pascoe.*) *Hab.* Clarence River.
 **Symphyletes neglectus.* (*Pascoe.*) *Hab.* New South Wales.; Queensland.
Symphyletes sodalis. (*Pascoe.*) *Hab.* Queensland.
 **Symphyletes farinosus.* (*Pascoe.*) *Hab.* New South Wales; Port Curtis; Wide Bay.
 **Symphyletes angasii.* (*Pascoe.*) *Hab.* South Australia; Western Australia.
Symphyletes pubiventris. (*Pascoe.*) *Hab.* South Australia.
 **Symphyletes Duboulayi.* (*Pascoe.*) *Hab.* Western Australia.
Symphyletes maculicornis. (*Pascoe.*) *Hab.* Western Australia.
Symphyletes subtuberculatus. (*White.*) *Hab.*—?
 **Symphyletes fulvescens.* (*Pascoe.*) *Hab.* Port Curtis.
Symphyletes subminiatus. (*Pascoe.*) *Hab.* Western Australia.
Symphyletes cinnamomeus. (*Pascoe.*) *Hab.* Queensland.
 **Symphyletes lateralis.* (*Pascoe.*) *Hab.* South Australia; Western Australia.

- Symphyletes collaris.* (*Donovan*,) *Saperda collaris.* *Hab.* —?
- Symphyletes decipiens.* (*Pascoe*.) *Hab.* South Australia.
- **Symphyletes nigro-virens.* (*Donovan*.) *Hab.* New South Wales; Queensland.
- Symphyletes derasus.* (*Pascoe*.) *Hab.* New South Wales.
- Symphyletes egenus.* (*Pascoe*.) *Hab.* Northern Australia.
- Symphyletes satelles.* (*Pascoe*.) *Hab.* Western Australia.
- Symphyletes simius.* (*Pascoe*.) *Hab.* Champion Bay, (Western Australia)
- **Symphyletes Bathurstii.* (*Pascoe*.) *Hab.* (Gawler) South Australia
- **Symphyletes variolosus.* (*Pascoe*.) *Hab.* New South Wales; Queensland; South Australia.
- Symphyletes iliacus.* (*Pascoe*.) *Hab.* Champion Bay (Western Australia.)
- **Symphyletes vicarius.* (*Pascoe*.) *Hab.* New South Wales?; Queensland.
- Symphyletes humeralis.* (*White*.) *Hab.* North Australia (Port Essington.)
- Symphyletes gallus.* (*Pascoe*.) *Hab.* North Australia.
- **Symphyletes albo-cinctus.* (*Guérin*,) *Saperda albo-cincta*, *Rhytiphora Donovanii*. *Symphyletes collaris.* *Hab.* New South Wales; Queensland.
- **Symphyletes vestigialis.* (*Pascoe*.) *Hab.* South Australia.
- **Symphyletes Solandri.* (*Fabricius*,) *Lamia Solandri*. *Cerambyx Solandri.* *Hab.* New South Wales.

IPHIASTUS.

- **Iphiastus heros.* (*Pascoe*,) *Symphyletes heros.* *Hab.* (Inferior?) Australia (*Stuart's Expedition*.)

PLATYMOPSIS.

- **Platymopsis obliqua.* (*Donovan*,) *Lamia obliqua.* *Hab.* Queensland; New South Wales; South Australia.
- Platymopsis tuberculata.* (*Hope*,) *Rhytiphora tuberculata.* *Hab.* Port Essington.
- Platymopsis armatula.* (*White*,) *Symphyletes (Platymopsis) armatulus.* *Hab.* (South?) Australia.

RHYTIPHORA.

- **Rhytiphora rugicollis.* (*Donovan*,) *Lamia porphyrea.* *Lamia rugicollis.* *Hab.* New South Wales; Queensland.
- Rhytiphora amicula.* (*White*.) *Hab.* Victoria River.

- **Rhytiphora polymita.* (*Pascoe.*) *Hab.* Queensland.
Rhytiphora Waterhousei. (*Pascoe.*) *Hab.* South Australia.
Rhytiphora piperitia. (*Hope.*) *Hab.* Port Essington.
Rhytiphora detrita. (*Hope.*) *Hab.* Port Essington.
Rhytiphora sospitalis. (*Pascoe.*) *Hab.* Western Australia.
Rhytiphora capriua. (*Newman.*) *Hab.* South Australia; Victoria.
Rhytiphora mista. (*Newman.*) *Hab.* Victoria.
Rhytiphora saga. (*Pascoe.*) *Hab.* Western Australia.
Rhytiphora semivestita. (*Pascoe.*) *Hab.* (Perth) Western Australia.
* *Rhytiphora rubeta.* (*Pascoe.*) *Hab.* New South Wales.
Rhytiphora cretata. (*Pascoe.*) *Hab.* Queensland.

PENTHEA.

- **Penthea vermicularia.* (*Donovan.*) *Lamia vermicularia.* *Hab.* New South Wales; Queensland.
**Penthea solida.* (*Pascoe.*) *Hab.* Clarence River.
**Penthea costata.* (*Pascoe.*) *Hab.* New South Wales; Western Australia.
Penthea Saundersii. (*Pascoe.*) *Hab.* Western Australia.
Penthea pullina. (*Pascoe.*) *Hab.* Western Australia.
Penthea sannio. (*Newman.*) *Lamia sannio.* *Hab.* —?
**Penthea pardalis.* (*Newman.*) *Lamia pardalis.* *Hab.* New South Wales; Queensland.
Penthea miliaris. (*Pascoe.*) *Hab.* Port Curtis.
Penthea intricata. (*Pascoe.*) *Hab.* South Australia.
Penthea scenica. (*Pascoe.*) *Hab.* Port Curtis.
Penthea crassicollis. (*Pascoe.*) *Hab.* Interior of Australia (*Stuart's Expedition.*)
**Penthea picta.* (*Pascoe.*) *Hab.* South Australia.
Penthea spectator. (*Pascoe.*) *Hab.* South Australia.

DEPSAGES.

- **Depsages granulosa.* (*Guerin.*) *Lamia granulosa.* *Hab.* New South Wales.

MONOCHAMUS.

- **Monochamus fistulator.* (*Germar.*) *Lamia fistulator.* *Hab.* New South Wales; Queensland.

- Monochamus mixtus.* (*Hope.*) *Hab.* Port Essington; Queensland.
- **Monochamus argentatus.* (*Hope.*) *Hab.* New South Wales; Victoria.
- Monochamus ovinus.* (*Pascoe.*) *Hab.* South Australia.

METON.

- **Meton Digglesii.* (*Pascoe.*) *Hab.* New South Wales; Queensland.
- Meton tropicus.* (*Pascoe.*) *Hab.* Lizard Island; Port Denison; Cape York.

BATOCERA.

- **Batocera rubus.* (*Linn.*) *Cerambyx rubus.* *Hab.* New South Wales; Queensland.
- Batocera tropicus.* (*Pascoe.*) *Hab.* Lizard Island.

HYPSELOMINÆ.

CALLIPYRGA.

- **Callipyrga turrita.* (*Newman.*) *Zygodocera pallidicornis.* *Hab.* New South Wales; Queensland.

ZYGOCERA.

- **Zygodocera pruinosa.* (*Boisduval.*) *Acanthocinus pruinosis.* *Hab.* New South Wales; Queensland.
- Zygodocera pentheoides.* (*Pascoe.*) *Hab.* Western Australia.
- **Zygodocera cænosa.* (*Erichson.*) *Hab.* Tasmania; Victoria.
- **Zygodocera metallica.* (*Westw.*) *Hab.* South Australia; Western Australia.

DEMONASSA.

- **Demonassa Macleayi.* (*Pascoe.*) *Zygodocera Macleayi.* *Demonassa funeraria.* *Hab.* New South Wales.

DISTERNA.

- **Disterna lugubris.* (*Pascoe.*) *Zygodocera lugubris.* *Hab.* New South Wales.
- **Disterna luctuosa.* (*Paseoe.*) *Zygodocera luctuosa.* *Hab.* Lizard Island.
- **Disterna plumifera.* (*Pascoe.*) *Zygodocera plumifera.* *Hab.* New South Wales; Queensland.

Disterna cuneata. (*Pascoe*.) *Zygodera cuneata.* *Hab.* New South Wales.

**Disterna pumila.* (*Pascoe*.) *Zygodera pumila.* *Hab.* New South Wales; Queensland.

**Disterna bifasciata.* (*Pascoe*.) *Zygodera bifasciata.* *Hab.* New South Wales; Queensland.

ORICOPIS.

**Oricopis umbrosus.* (*Pascoe*.) *Hab.* Port Curtis; Richmond River.

THYADA.

**Thyada barbicornis.* (*Pascoe*.) *Zygodera barbicornis.* *Hab.* South Australia?; New South Wales; Queensland.

DYSTHÆTA.

**Dysthæta anomala.* (*Pascoe*.) *Hab.* New South Wales; Queensland.

DORCADIONIDÆ.

MICROTRAGUS.

Microtragus arachne. (*Pascoe*.) *Hab.* Western Australia.

Microtragus sticticus. (*Pascoe*.) *Hab.*—?

Microtragus senex. (*White*) *Hab.*—?

Microtragus eremita. (*Pascoe*.) *Hab.* South Australia (the Murray.)

Microtragus Mormon. (*Pascoe*.) *Hab.* South Australia (the Murray.)

Microtragus Waterhousei. (*Pascoe*.) *Hab.* Kangaroo Island.

**Microtragus amycteroides.* (*Pascoe*.) *Hab.* Queensland.

ATHEMISTUS.

**Athemistus rugosulus.* (*Guerin*.) *Lamia rugosula.* *Hab.* New South Wales.

Athemistus pubescens. (*Pascoe*.) *Hab.* Victoria.

Athemistus Armitagei. (*Pascoe*) *Hab.* New South Wales.

Athemistus funereus. (*Pascoe*.) *Hab.* New South Wales.

CEREGIDION.

**Cerægidion horrens.* (*Boisduval*.) *Hab.* New South Wales.

MESOLITA.

- **Mesolita transversa*. (*Pascoe*.) *Hab.* Queensland; New South Wales.
Mesolita lineolata. (*Pascoe*.) *Hab.* Queensland.

APOMECCYNINÆ.

APOMECCYNA.

- Apomeccyna histrio*. (*Fabicius* ?) *Lamia histrio*. *Hab.* Australia (North).
Apomeccyna nigrita. (*Pascoe*.) *Hab.* Australia (North).

HATHLIODES.

- Hathliodes grammicus*. (*Pascoe*.) *Mycerinus grammicus*. *Hab.* Australia (interior, towards the north.)
Hathliodes moratus. (*Pascoe*.) *Hab.* Australia (North.)
 **Hathliodes aridus*. (*Pascoe*.) *Mycerinus aridus*, *Mycerinospis arida*. *Hab.* Lizard Island.
Hathliodes murinus. (*Pascoe*.) *Hathlia murina*. *Hab.* Australia (interior, towards the North.)
 **Hathliodes uniformis*. (*Pascoe*.) *Mycerinus uniformis*. *Hab.* Port Curtis.
 **Hathliodes quadrilineatus*. (*Hope*.) *Hathlia quadrilineata*. *Hab.* Port Essington; Port Curtis; South Australia.
Hathliodes lacteolus. (*Hope*.) *Hathlia lacteola*. *Hab.* Port Essington.
Hathliodes melanocephalus. (*Hope*.) *Hathlia melanocephala*. *Hab.* Port Essington; Raffles' Bay.
Hathliodes lineellus. (*Hope*.) *Hathlia lineella*. *Hab.* Port Essington.

LYCHROSIS.

- **Lychrosis luctuosus*. (*Pascoe*.) *Mycerinus luctuosus*. *Hab.* Port Curtis; Port Denison.

PHÆAPATE.

- Phæapate albula*. (*Pascoe*.) *Hab.* Queensland.

PRAONETHA.

- Praonetha dispersa*. (*Pascoe*.) *Notolophia dispersa*. *Hab.* Queensland, (north coast.)
Praonetha pleuricausta. (*Pascoe*.) *Hab.* Port Albany.

SYBRA.

- **Sybra incivilis*. (*Pascoe*.) *Ropica incivilis*. *Hab.* Port Curtis.
Sybra acuta. (*Pascoe*.) *Ropica geminata*. *Hab.* New South
Wales.
Sybra centurio. (*Pascoe*.) *Hab.* Sydney.

ROPICA.

- Ropica exocentroides*. (*Pascoe*.) *Sybra exocentroides*. *Hab.*
Queensland.

ATIMURA.

- **Atimura terminata*. (*Pascoe*.) *Hab.* Port Curtis.

ITHEUM.

- **Itheum vittigerum*. (*Pascoe*.) *Hab.* South Australia.
**Itheum lineare*. (*Pascoe*.) *Hab.* South Australia, Adelaide,
Port Lincoln.

GENUS NOVUM.

- Genus. novum. *lepida*. (*Germar*.) *Anaesthetis lepida*. *Hab.*
South Australia.

ZYGRITA.

- **Zygrita diva*. (*Thompson*.) *Zygrita nigro-zonata*, var. *Hab.*
New South Wales ; Queensland.

HIPPOPSINÆ.

ESSISUS.

- **Essisus dispar*. (*Pascoe*.) *Hab.* Queensland.

TMESISTERNINÆ.

ANASTETHA.

- Anastetha raripila*. (*Pascoe*.) *Hab.* Rockhampton.

TEMNOSTERNUS.

- **Temnosternus planiusculus*. (*White*.) *Hab.* New South
Wales ; Queensland.
Temnosternus dissimilis, (*Pascoe*.) *Hab.* Queensland.

CERAMBYCIDÆ.

STENODERIDÆ.

BIMIA.

**Bimia bicolor.* (*White.*) *Hab.* New South Wales; South Australia; Victoria; Western Australia.

Bimia femoralis. (*W. W. Saunders.*) *Hab.*——?

ACIPTERA.

Aciptera semiflava. (*W. W. Saunders.*) *Hab.*——?

Aciptera Waterhousei. (*Pascoe.*) *Hab.* South Australia.

AGAPETE.

Agapete carissima. (*Newman.*) *Hab.* Victoria; South Australia; New South Wales.

Agapete Kreuzleræ. (*Pascoe.*) *Hab.* South Australia.

Agapete vestita. (*Pascoe.*) *Hab.* South Australia, (Gawler)

EARINUS.

**Earinus mimula.* (*Pascoe.*) *Hab.* New South Wales; South Australia.

Earinus Kreuzleræ. (*Pascoe.*) *Hab.* South Australia.

EROSHEMA.

**Eroschema Poweri.* (*Pascoe.*) *Hab.* New South Wales; Victoria; South Australia; Western Australia.

Eroschema atricolle. (*Pascoe.*) *Hab.* Western Australia.

CHAODALIS.

**Chaodalis Macleayi.* (*Pascoe.*) *Hab.* New South Wales (Eastern Creek.)

TROPIS.

Tropis oculifera. (*Newman.*) *Rhagiomorpha oculifera.* *Hab.* Tasmania.

Tropis dimidiata. (*Newman.*) *Tropocalymma dimidiata.* *Hab.* Queensland

TRITOCOSMIA.

**Tritocosmia Roei.* (*Hope.*) *Stenoderus Roei.* *Hab.* Western Australia; New South Wales.

Tritocosmia atricilla. (*Newman.*) var. of *Roei.* *Hab.*——?

- **Tritocosmia Diggleii*. (*Pascoe.*) *Hab.* Queensland.
- **Tritocosmia rubea*. (*Pascoe.*) *Hab.* New South Wales.
- **Tritocosmia paradoxa*. (*Pascoe.*) *Hab.* South Australia ; Victoria.

STENODERUS.

- **Stenoderus suturalis*. (*Olivier.*) *Stenocorus suturalis*. *Cerambyx abbreviatus*. *Leptura ceramboides*. *Stenoderus labiatus*. *Hab.* Victoria ; South Australia ; New South Wales ; Western Australia.
- **Stenoderus ostricilla*. (*Newman.*) *Hab.* Queensland.
- Stenoderus maculicornis*. (*W. W. Saunders.*) *Hab.* North Coast.
- Stenoderus quietus*. (*Newman.*) *Hab.* Queensland.
- **Stenoderus concolor*. (*Macleay.*) *Hab.* Victoria ; Tasmania.

SYLLITUS.

- **Syllitus grammicus*. (*Newman.*) *Stenoderus grammicus*. *Stenoderus rectus*. *Hab.* South Australia ; Victoria ; New South Wales ; Western Australia ; Tasmania.
- Syllitus Parryi*. (*Pascoe.*) *Hab.* New South Wales ?
- Syllitus deustus*. (*Newman.*) *Stenoderus deustus*. *Hab*——?

APHNEOPE.

- Aphneope sericata*. (*Pascoe.*) *Hab.* Port Curtis ; New South Wales.

ZOEDIA.

- **Zoëdia triangularis*. (*Pascoe.*) *Hab.* Victoria ; Tasmania.
- Zoëdia divisa*. (*Pascoe.*) *Hab.* Kangaroo Island ; Victoria.

AMETROCEPHALA.

- Ametrocephala formicides*. (*Newman.*) *Pseudocephalus formicides*. *Hab.* Victoria.
- Ametrocephala arietina*. (*Newman.*) *Pseudocephalus arietinus*. *Hab.* Tasmania.
- Ametrocephala mira*. (*Pascoe.*) *Hab.* Western Australia.

TRICHEOPS.

- **Tricheops ephippiger*. (*Newman.*) *Hab.* New South Wales.

MACRONES,

- **Macrones exilis.* (*Newman.*) *Hab.* South Australia ; Tasmania
 **Macrones rufus.* (*W. W. Saunders.*) *Hab.* New South Wales
Macrones acicularis. (*Pascoe.*) *Hab.* South Australia
Macrones capito. (*Pascoe.*) *Hab.* New South Wales ; Port
 Curtis.

ENCHOPTERA.

- Enchoptera apicalis.* (*W. W. Saunders.*) *Hab.* Tasmania.
Enchoptera nigricornis. (*W. W. Saunders.*) *Hab.* New South
 Wales.

PSILOMORPHA.

- Psilomorpha tenuipes.* (*W. W. Saunders.*) *Hab.*—?
 **Psilomorpha apicalis.* (*Pascoe.*) *Hab.* Queensland.
Psilomorpha lusoria. (*Pascoe.*) *Stenoderus pulcher?* (*Hope.*)
Hab. Queensland.

ORODERES.

- **Oroderes humeralis.* (*W. W. Saunders.*) *Hab.* New South
 Wales ; North Australia.

BRACHOPSIS.

- Brachopsis concolor.* (*W. W. Saunders.*) *Hab.* Tasmania.
Brachopsis nupera. (*Pascoe.*) *Hab.* New South Wales.

STEPHANOPS.

- **Stephanops nasutus.* (*Shuckard.*) *Macrones elongaticeps.* *Hab.*
 Tasmania ; Victoria ; South Australia ; New South Wales ;
 Queensland.

RHAGIOMORPHA.

- **Rhagiomorpha lepturoides.* (*Boisduval.*) *Stenochorus leptu-*
roides. *Physodroma costata.* *Hab.* New South Wales ; Vic-
 toria.

TESSAROMMA.

- **Tessaromma undatum.* (*Newman.*) *Meropachys Macleayi.*
Meropachys tristis. *Callidium fulvo-maculatum.* *Hab.* Tas-
 mania ; South Australia ; Victoria ; New South Wales ;

PHLYCTÆNODES.

- *Phlyctænodes pustulosus. (*Newman.*) Trachelorachys fumicolor.
Demacidea brunnea. *Hab.* Tasmania.
*Phlyctænodes pustulatus. (*Hope.*) Trachelorachys pustulata,
(*Hope.*) *Hab.* New South Wales.
Phlyctænodes pilosus. (*Pascoe.*) *Hab.* South Australia.

DIOTIMA.

- *Diotima undulata. (*Pascoe.*) *Hab.* Queensland; New South
Wales.

APOSITES.

- Aposites macilentus. (*Pascoe.*) *Hab.* South Australia.
Aposites pubicollis. (*Pascoe.*) Western Australia.

BARDISTUS.

- *Bardistus cibarius. (*Newman.*) *Hab.* Western Australia.

NEOSTENUS.

- Neostenus Saundersii. (*Pascoe.*) Lysestia rotundicollis. *Hab.*
Victoria; South Australia.
Neostenus morio. (*Pascoe.*) Lysestia morio. *Hab.* Western
Australia.

MYSTROSA.

- Mystrosa rubiginea. (*Pascoe.*) *Hab.* South Australia.

URACANTHINÆ.

SCOLECOBROTUS.

- *Scolecobrotus Westwoodii. (*Hope.*) *Hab.* New South Wales;
South Australia; Western Australia.

URACANTHUS.

- *Uracanthus triangularis. (*Hope.*) Uracanthus angustatus.
Hab. New South Wales; Victoria; South Australia.
*Uracanthus simulans. (*Pascoe.*) *Hab.* South Australia.
Uracanthus marginellus. (*Hope.*) *Hab.* Western Australia;
*Uracanthus bivitta. (*Newman.*) *Hab.* New South Wales;
Queensland.
Uracanthus pallens. (*Hope.*) *Hab.* Tasmania.
*Uracanthus fusco-cinereus. (*White.*) *Hab.* New South Wales
Uracanthus miniatus. (*Pascoe.*) *Hab.* Western Australia.

ÆTHIORA.

Æthiora fuliginea. (*Pascoe*,) *Uracanthus fuliginus*. *Hab.* South Australia.

TRICHOMESIA.

**Trichomesia Newmanii*. (*Pascoe*,) *Hab.* New South Wales ; Victoria ; South Australia.

DISTICHO CERINÆ.

DISTICHO CERA

**Distichocera maculicollis*. (*Kirby*,) *D. rubripennis*, *D. ferruginea* *D. fulvipennis*. *Hab.* New South Wales ; Victoria.

**Distichocera mutator*. (*Pascoe*,) *Hab.* Queensland ; (Moreton Bay.)

**Distichocera par*. (*Newman*,) *D. fuliginosus*. *Hab.* New South Wales ; Victoria ; South Australia ; Tasmania.

**Distichocera Thompsonella*, (*White*,) *Hab.* New South Wales ; Victoria ; North Australia ? ; South Australia.

Distichocera Kirbyi. (*Newman*,) *Hab.* New South Wales.

**Distichocera Macleayi*. (*Newman*,) *Hab.* New South Wales ; Victoria ? South Australia ?

TRAGOCERINÆ.

TRAGOCERUS.

**Tragocerus bidentatus*. (*Donovan*,) *Prionus bidentatus*. *Tragocerus Australis*. *Hab.* New South Wales ; Victoria.

**Tragocerus fasciatus*. (*Donovan*,) *Prionus fasciatus*. *Tragocerus Australis*, *Tragocerus bifasciatus*. *Hab.* New South Wales ; Victoria.

Tragocerus subfasciatus. (*Germar*,) *Hab.* Victoria ; South Australia.

**Tragocerus Spencei*. (*Hope*,) *Hab.* New South Wales ; Victoria ; South Australia.

Tragocerus formosus. (*Pascoe*,) *Hab.* Lizard Island.

**Tragocerus lepidopterus*. (*Schrebers*,) *Prionus lepidopterus*. *Hab.* New South Wales.

PYTHEINÆ.

TELOCERA.

**Telocera Wollastonii*. (*White*,) *Hab.* New South Wales ; Queensland ?

PYTHEUS.

- **Pytheus jugosus*. (*Newman.*) *Hab.* New South Wales.
- **Pytheus latebrosus* (*Newman.*) *Hab.* Kangaroo Island ; South Australia ; New South Wales.
- **Pytheus pulcherrimus*. (*Pascoe.*) *Brachytria pulcherrima*. *Hab.* Queensland ; South Australia.

BRACHYTRIA

- **Brachytria gulosa*. (*Newman.*) *Callidiomorphus depressus*. *Hab.* Tasmania ; Victoria ; New South Wales ; South Australia ; Queensland.
- **Brachytria centralis*. (*Pascoe.*) *Hab.* South Australia ; New South Wales.

OMOPHENA.

- Omophæna Kreuzleræ*. (*Pascoe.*) *Hab.* South Australia.
- Omophæna tæniata*. (*Pascoe.*) *Hab.*—?

EBUROPHORA,

- Eburophora octoguttata*. (*White.*) *Hab.* Victoria.

PEMPSAMACRA.

- **Pempsamacra dispersa*. (*Newman.*) *Callidium fulvo-maculatum* *Hab.* Victoria ; South Australia ; New South Wales ; Queensland.
- Pempsamacra tillides*. (*Newman.*) *Hab.* New South Wales.
- Pempsamacra vestita*. (*Pascoe.*) *Hab.* Victoria.
- **Pempsamacra subaurea*. (*Pascoe.*) *Hab.* New South Wales
- **Pempsamacra pygmæa*. (*Newman.*) *Lepidisia bimaculata*, *Hab.* Victoria ; New South Wales ; Queensland.

HESTHESINÆ.

HESTHESIS.

- **Hesthesis ferrugineus*. (*Boisduval.*) *Molorchus ferrugineus*. *Hab.* New South Wales ; Queensland.
- **Hesthesis cingulatus*. (*Kirby.*) *Molorchus cingulatus*. *Hab.* Victoria ; New South Wales ; South Australia.
- Hesthesis mœrens*. (*Pascoe.*) *Hab.* New South Wales.
- **Hesthesis murinus*. (*Pascoe.*) New South Wales ; Western Australia
- **Hesthesis plorator*. (*Pascoe.*) *Hab.* Victoria.

- **Hesthesis variegatus*. (*Fabricius*.) *Leptura variegata*. *Molorchus variegatus*. *Hab.* New South Wales.
 **Hesthesis ornatus*. (*W. W. Saunders*.) *Hab.* New South Wales.
Hesthesis bizonatus. (*Newman*.) *Hab.*—?
 **Hesthesis vesparius*. (*Pascoe*.) *Hab.* New South Wales ; Queensland.
 **Hesthesis vigilans*. (*Pascoe*.) *Hab.* New South Wales ; Victoria
 **Hesthesis acutipennis*. (*Pascoe*.) *Hab.* New South Wales.
Hesthesis angustatus. (*Pascoe*.) *Hab.* Western Australia.

OBRINIÆ.

IGENIA.

- Igenia ibidionoides*. (*Pascoe*.) *Obrium ibidionoides*. *Hab.* New South Wales.
Igenia stigmosa. (*Pascoe*.) *Hab.* South Australia.
Igenia dorsalis. (*Pascoe*.) *Obrium dorsale*. *Hab.* South Australia.

SIDIS.

- Sidis opiloides*. (*Pascoe*.) *Hab.* South Australia.

ACYRUSA

- **Acyrusa ciliata*. (*Pascoe*.) *Obrium ciliatum*. *Hab.* New South Wales (Illawarra).

PHAOLA.

- Phaola tenella*. (*Pascoe*.) *Hab.* Port Curtis.
Phaola collaris. (*Pascoe*.) *Hab.* South Australia.

XYSTÆNA

- Xystœna vittata*. (*Pascoe*.) *Hab.* Queensland

SISYRIUM.

- Sisyrium tripartitum*. (*Pascoe*.) *Obrium tripartitum*. *Hab.* South Australia.

MECYNOPUS.

- Mecynopus cothurnatus*. (*Erichson*) *Hab.* Tasmania.
Mecynopus semivitreus. (*Pascoe*.) *Hab.* Victoria.

OMOTES.

- Omotes cucujides* (*Newman*.) *Hab.* Victoria.
Omotes punctissima (*Newman*.) *Hab.* South Australia.
Omotes erasicollis. (*Pascoe*.) *Hab.* Victoria.

CERAMBYCINÆ.

BETHELIUM.

- Bethelium signiferum. (*Newman*,) Callidium signiferum. *Hab.* Tasmania.
 Bethelium inscriptum (*Pascoe*,) Callidium inscriptum. *Hab.* Queensland.

ELETE.

- *Elete inscripta (*Pascoe*,) *Hab.* New South Wales; Queensland.

SCELETODES

- Sceletodes tetrops. (*Newman*,) *Hab.*——?

AMPHIRHOË.

- *Amphirhoë decora. (*Newman*,) *Hab.* Queensland; Tasmania; South Australia; New South Wales.

CALLIDIOPSIS.

- *Callidiopsis scutellaris. (*Fabricius*,) Callidium scutellare, C. piceum. *Hab.* Victoria; Tasmania; New South Wales.
 *Callidiopsis præcox. (*Erichson*,) Stenocorus præcox. *Hab.* Tasmania.

ATESTA.

- *Atesta bifasciata. (*Pascoe*,) Phoracantha bifasciata. *Hab.* Port Curtis; New South Wales.
 *Atesta balteata. (*Pascoe*,) Phoracantha balteata. *Hab.* South Australia.
 *Atesta Angasii. (*Pascoe*,) *Hab.* South Australia.

ALLOTISIS.

- Allotisis unifasciata. (*Hope*,) Coptocerus unifasciatus. *Hab.* Western Australia
 Allotisis scitula. (*Pascoe*,) *Hab.* Port Denison.
 Allotisis discreta. (*Pascoe*,) *Hab.* New South Wales.

EPITHORA.

- *Epithora dorsalis. (*Macleay*,) Stenochorus dorsalis, Stenochorus uniguttatus, Stenochorus rhombifera. Mallocera elongata. Stenochorus angustatus. *Hab.* Victoria; New South Wales; Tasmania; South Australia; Queensland.

CALLIRHOË.

- **Callirhoë biguttata*. (*Donovan*,) *Stenochorus biguttatus*. *Cop-tocerus biguttatus*. *Hab.* Victoria; New South Wales; Queensland.
- **Callirhoë allapsa*. (*Newman*,) *Stenochorus Roci*, *Stenochorus rubripes*. *Hab.* Tasmania; South Australia; Victoria; Western Australia; Queensland; New South Wales.
- **Callirhoë aberrans*. (*Newman*,) *Phoracantha aberrans*. *Hab.* New South Wales; Queensland
- **Callirhoë polita*. (*Pascoe*,) *Phoracantha polita*. *Hab.* New South Wales?; Queensland.
- Callirhoë pedator*. (*Pascoe*,) *Phoracantha pedator*. *Hab.* South Australia.
- Callirhoe pubescens*. (*Pascoe*,) *Phoracantha pubescens*. *Hab.* Port Curtis.

PHORACANTHA.

- **Phoracantha semipunctata*. (*Fabricius*,) *Stenocorus semipunctatus*. *Cerambyx semipunctatus*. *Stenocorus inscriptus*. *Hab.* Victoria; New South Wales; South Australia; Western Australia.
- **Phoracantha recurva*. (*Boisduval*,) *Stenocorus semipunctatus* *Hab.* South Australia; Victoria; New South Wales; Tasmania; Queensland.
- **Phoracantha punctata*. (*Kirby*,) *Stenocorus punctatus*. *Hab.* New South Wales; South Australia; Western Australia.
- Phoracantha longipennis*. (*Hope*,) *Stenochorus longipennis*. *Hab.* Tasmania.
- **Phoracantha tricuspis*. (*Newman*,) *Stenocorus robustus*. *P. impavida*. *Hab.* New South Wales; South Australia; Victoria.
- Phoracantha gigas*. (*Hope*,) *Hab.* Western Australia.?
- Phoracantha quinaria*. (*Newman*,) *Hab.* South Australia; Victoria.
- **Phoracantha fallax*. (*Pascoe*,) *Hab.* New South Wales; South Australia; Western Australia.
- Phoracantha flavo-picta*. (*Pascoe*,) *Hab.* South Australia.
- Phoracantha trimaculata*. (*Hope*,) *Stenochorus trimaculatus*. *Hab.* Western Australia.
- Phoracantha hospita*. (*Pascoe*,) *Hab.* Queensland.
- Phoracantha senio*. (*Newman*,) *Hab.* Victoria; South Australia; New South Wales.

DIOSPIDES.

- **Diospides obscura.* (*Donovan.*) *Stenocorus obscurus.* *Hab.*
New South Wales; Queensland.

TRYPHOCHARIA.

- **Trypocharia hamata.* (*Newman.*) *Phoracantha hamata.* *Hab.*
New South Wales; Victoria.
- Trypocharia superans.* (*Pascoe.*) *Phoracantha superans.* *Hab.*
Tasmania.
- Trypocharia Mitchelli.* (*Hope.*) *Stenochorus Mitchelli.* *Hab.*
Western Australia; Cape York.
- Trypocharia Odewahnii.* (*Pascoe.*) *Phoracantha Odewahnii.*
Hab. South Australia.

XYPETA.

- Xypeta grallaria.* (*Pascoe.*) *Phoracantha grallaria.* *Hab.*
Queensland.

ÆSIOTYCHE.

- Æsiotyche favosa.* (*Pascoe.*) *Hab.* South Australia.

CERAMBYX.

- **Cerambyx sericus.* (*Newman.*) *Pachydissus sericus.* *Hamma-*
ticherus turbinaticornis. *Hab.* Victoria; South Australia;
Western Australia; New South Wales.
- **Cerambyx picipennis.* (*Germar.*) *Hammaticherus picipennis.*
Hab. South Australia.
- **Cerambyx nubilus.* (*Pascoe.*) *Hab.* Queensland.

DIDYMOCANTHA.

- **Didymocantha obliqua.* (*Newman.*) *Strongylurus varicornis.*
Hab. New South Wales; Queensland.
- Didymocantha brevicollis.* (*Pascoe.*) *Hab.* Western Australia.

STRONGYLURUS.

- **Strongylurus scutellatus.* (*Hope.*) *Hab.* Victoria.
- Strongylurus cretifer.* (*Hope.*) *Coptopterus cretifer.* *Isalium*
Odewahnii. *Hab.* South Australia; Western Australia.
- **Strongylurus thoracicus.* (*Pascoe.*) *Didymocantha thoracica.*
Hab. New South Wales; Queensland.

OXYMAGIS.

Oxymagis Grayii. (*Pascoe.*) *Hab.*—?

EXÆRETA.

Exæreta unicolor. (*Pascoe.*) *Hab.* South Australia.

LYGESIS.

Lygesis cylindricollis. (*Pascoe.*) *Didymocantha cylindricollis.*
Hab. Queensland.

BEBIUS.

Bebius filiformis. (*Pascoe.*) *Hab.* South Australia.

PETALODES.

Petalodes laminatus. (*Newman.*) *Hab.* South Australia; Victoria.

Petalodes plagiatus. (*White.*) *Hab.* South Australia?

OPSIDOTA.

Opsidota infecta. (*Pascoe.*) *Hab.* South Australia.

Opsidota albipilosa. (*Pascoe.*) *Hab.* South Australia.

PIESARTHRIUS.

Piesarthrius marginellus. (*Hope.*) *Hab.* Western Australia; Victoria; New South Wales.

CERESIUM.

Ceresium simplex. (*Gyllenhall.*) *Callidium vile.* *C. Emona Phillipensis.* *Arhopalus ambiguus.* *Diatomocephala maculaticollis.*
Hab. Australia.?

PAPHORA.

Paphora modesta. (*Pascoe.*) *Ceresium modestum.* *Hab.* South Australia.

PORITHEA.

Porithea intorta. (*Newman.*) *Callidium intortum.* *Hab.*—?

APHANASIUM.

**Aphanasium Australe.* (*Boisduval.*) *Callidium Australe.* *Solimmia sublineata.* *Hab.* South Australia; New South Wales.

TAPHOS.

Taphos aterrimus. (*Pascoe.*) *Hab.* South Australia.

IBIDIONINÆ.

ISCHNOTES.

- Ischnotes cylindraceus. (*Newman.*) *Hab.* South Australia.
 *Ischnotes Bakewelli. (*Pascoe.*) *Hab.* Victoria.

CLYTINÆ.

CLYTANTHUS.

- *Clytanthus Curtisii. (*L. and G.*) Clytus Curtisii. *Hab.*
 Queensland.
 Clytanthus glaucinus. (*Boisduval.*) Clytus glaucinus. *Hab.*—?
 *Clytanthus chrysoderes. (*White.*) *Hab.* Queensland.
 Clytanthus annularis. (*Fabricus.*) Callidium annulare. *Hab.*
 Port Jackson.

XYLOTRECHUS.

- *Xylotrechus Australis. (*L. and G.*) Clytus Australis. *Hab.*
 Queensland.

CREMYS

- Cremys diopthalmus. (*Pascoe.*) Clytus diopthalmus. *Hab.*
 Queensland.

ARIDÆUS.

- *Aridæus thoracicus. (*Donovan.*) Clytus thoracicus. *Hab.* New
 South Wales ; Queensland.
 Aridæus heros. (*Pascoe.*) *Hab.* Port Albany.

TYPHOCESES.

- *Typhocesis Macleayi. (*Pascoe.*) *Hab.* Port Denison ; Rock-
 hampton.

HEMISTHOCERA.

- Hemisthocera flavilinea. (*Newman*) *Hab.* Northern Australia.

OBRIDA.

- *Obrida fascialis. (*White.*) Clytus fascialis. *Hab.* Victoria ;
 New South Wales.
 Obrida comata. (*Pascoe.*) *Hab.* Queensland.

HOMÆMOTA.

- Homæmota basalis. (*Pascoe.*) *Hab.* Western Australia (Perth.)
 Homæmota Duboulayi. (*Pascoe.*) *Hab.* Western Australia.

TILLOMORPHA.

Tillomorpha mœstula. (*White.*) *Hab.* Queensland.

ECTOSTICTA.

Ectosticta cleroides. (*White.*) *Callidium cleroides*, *Callidium simillimum.* *Hab.* Victoria; Western Australia; South Australia.

Ectosticta ruida. (*Pascoe.*) *Hab.* Champion Bay.

Ectosticta eburata. (*Pascoe.*) *Callidium eburatum* *Hab.* New South Wales.

IPOMORIA.

Ipomoria tillides. (*Pascoe.*) *Hab.* South Australia.

ADRIUM.

Adrium catoxanthum. (*White.*) *Callidium catoxanthum.* *Hab.*—?

**Adrium artifex.* (*Newman.*) *Callidium artifex.* *C. terebrans.* *C. cucujus.* *Hab.* South Australia; Victoria.

SOPHRON.

Sophron inornatus. (*Newman.*) *Cleadne melanaria.* (*Pascoe.*) *Hab.* New South Wales; Victoria; South Australia.

Sophron eburatus. (*Pascoe.*) *Hab.* South Australia.

CERASPHORINÆ.

PHACODES.

**Phacodes obscurus.* (*Fabricius.*) *Callidium obscurum.* *Phacodes lentiginosus.* *Hab.* Tasmania; New South Wales; Western Australia.

Phacodes Essingtoni. (*Hope.*) *Callidium Essingtoni.* *Hab.* Port Essington.

**Phacodes personatus.* (*Erichson*) *Hab.* Tasmania; New South Wales.

Phacodes ferrugineus. (*Pascoe.*) *Hab.* South Australia.

Phacodes Mosmanii. (*Newman.*) *Hab.* South Australia.

Phacodes elusus. (*Pascoe.*) *Hab.* South Australia.

Phacodes fuscus. (*Pascoe.*) *Hab.* South Australia.

Phacodes distinctus. (*Pascoe.*) South Australia.

THERSALUS.

Thersalus bispinus. (*Pascoe.*) *Phacodes bispinus.* *Hab.*—?

CEBARINA.

- Cebarina tristis*. (*Pascoe*.) *Hab.* South Australia.
Cebarina ceresioides. (*Pascoe*.) *Hab.* South Australia.

XYSTROCERA.

- **Xystrocera virescens*. (*Newman*.) *Hab.* South Australia ; Victoria ; New South Wales.
Xystrocera Australasia. (*Hope*.) *Hab.* Port Essington.

CALLICHRONINÆ.

CALLICHROMA.

- Callichroma cinderella*. (*White*.) *Hab.* North Coast.

PURPURICENINÆ.

PURPURICENUS.

- **Purpuricenus Angasii*. (*White*.) *Cyclodera Angasii*. P. Australicus. *Hab.* New South Wales ; South Australia ; Queensland.
 **Purpuricenus quadrinotatus*. (*White*.) *Cyclodera quadrinotata*. *Hab.* Percy Islands ; South Australia ; Queensland.

CALLIDIINÆ.

HYLOTRYPES.

- Hylotrypes asemoides*. (*Pascoe*.) *Callidium asemoides*. *Hab.* South Australia.

PRIONIDÆ.

IOTHERIUM.

- **Iotherium metallicum*. (*Newman*.) *Pœcilosoma metallicum*. *Hab.* Tasmania ; Victoria ; New South Wales.

PHAOLUS

- **Phaolus Macleayi*. (*Pascoe*.) *Hab.* New South Wales.

SCELEOCANTHA.

- **Sceleocantha glabricollis*. (*Newman*.) *Hab.* Tasmania.
Sceleocantha pilosicollis. (*Hope*.) *Prionus pilosicollis*.

TOXEUTES.

- Toxteutes arcuatus*. (*Fabricius*.) *Prionus arcuatus*. *Hab.* Tasmania.

RHIPIDOCERUS.

**Rhipidocerus Australasiæ* (*Westwood.*) *Hab.* New South Wales.

MACROTOMA

Macrotoma spinicollis. (*Macleay.*) *Mallodon Australis.* *Hab.* Clarence River.

**Macrotoma gemella.* (*Pascoe.*) *Hab.* New South Wales.

Macrotoma papyria. (*Pascoe.*) *Hab.* South Australia. ?

Macrotoma Australis. (*Erichson.*) *Hab.* Tasmania.

CATYPNES.

**Catypnes Macleayi.* (*Pascoe.*) *Hab.* Richmond River; Wide Bay.

MALLODON.

Mallodon insulare. (*Hope.*) *Hab.* Port Essington.

**Mallodon figuratum.* (*Pascoe.*) *Hab.* New South Wales.

Mallodon stigmatosum. (*Newman.*) *Hab.*——?

**Mallodon Odewahnii.* (*Pascoe.*) *Hab.* South Australia.


Mallodon cephalotes. (*Pascoe.*) *Hab.* Queensland.

Mallodon edule. (*Newman.*) *Cnemoplites edulis.* *Hab.* Victoria.

**Mallodon jejunum.* (*Pascoe.*) *Hab.* Richmond River.

NOTOPHYSIS.

Notophysis lucanoides. (*Serville.*) *Hab.* South Australia; Kangaroo Island.



ADDENDA.

Glaucytes suturalis. (*Pascoe.*) *Hab.* Cape York.

Strongylurus ceresioides. (*Pascoe.*) *Hab.* Tasmania.

Pelargoderus Arouensis. *Hab.* Cape York.

Demomisis filum. (*Pascoe.*) *Hab.* Champion Bay (Western Australia.)

Thoris eburifera. (*Pascoe.*) *Hab.* Rockhampton.

Batocera læna. (*Thoms.*) *Hab.* Cape York.

Hebesecis basalis. (*Pascoe.*) Rockhampton.

Atyporis intercalaris. (*Pascoe.*) *Hab.* Cape York.

- **Rhytiphora argus*. (*Pascoe*.) *Hab.* Wide Bay & Rockhampton.
Rhytiphora intertineta. (*Pascoe*.) *Hab.* South Australia (Gawler.)
Penthea macularia. (*Pascoe*.) *Hab.* North Australia.
Symphyletes anaglyptus. (*Pascoe*.) *Hab.* Rockhampton.
Symphyletes capreolus. (*Pascoe*.) *Hab.* Rockhampton.
Sodus venosus. (*Pascoe*.) *Hab.* Cape York.
Lychrosis afflicta. (*Pascoe*.) *Hab.* Cape York.
Hathliodes costulatus. (*Pascoe*.) *Hab.* Champion Bay [Western Australia.]
Phæpate denticollis. (*Pascoe*.) *Hab.* Rockhampton.
Athemistus bituberculatus. (*Pascoe*.) *Hab.* Mountains of Victoria.
Athemistus Howittii. (*Pascoe*.) *Hab.* Kiama & Clarence River.
Athemistus puncticollis. (*Pascoe*.) *Hab.* Omeo [Gippsland,]
Athemistus æthiops. (*Pascoe*.) *Hab.* Mountains of Victoria.
Thephantès clavatus. [*Pascoe*.] *Hab.* Darling Downs.
Elaptus simulator. [*Pascoe*.] *Hab.* Cape York.
Dorcadida bilocularia. [*White*.] *Hab.* Tasmania.

 o

DOUBTFUL AUSTRALIAN SPECIES.

-
- Monoplia tetra*. (*Newman*.)
Ancita crossotoides. (*Thompson*.)
Lamia petrorthiza. (*Boisduval*.)
Lamia picta. (*Leach*.) (? *Rhytiphora*.)
Monochamus desperatus. (*Thompson*.)
Monochamus togatus. (*Perroud*.)
Morimus luctuosus. (*Shuckard*.) (? *Mitrotragus*)
Gnoma giraffa. (*Schreibers*.) (*Cerambyx*.)

- Olenecamptus bilobus.* (*Fabricius,*) (*Saperda.*)
Xylotoles grisea. (*Fabricius,*) (*Saperda.*)
Oopsis nutator. (*Fabricius,*) (*Lamia.*)
Isosceles pigra. (*Newman.*)
Coptomma textorium. (*Newman.*)
Coptomma virgatum. (*Newman.*)
Enicodes Fichtelii. (*Schrader,*) (*Cerambyx.*)
Glaucytes graphicus. (*Boisduval,*) (*Leptocera.*)
Leptocera vittifera. (*Buquet.*)
Rhagiomorpha unicolor. (*Hope.*)
Rhagiomorpha plagiata. (*Hope.*)
Rhagiomorpha sordida. (*Newman.*)
Necydalis auricomus. (*Newman.*)
Heliomanes sidus. (*Newman.*)
Cerambyx? *lativitta.* (*Newman.*)
Cerambyx? *subserratus.* (*Newman.*)
Callirhoë decora. (*Perroud.*) (? *Biguttata.* *Donovan.*)
Coptocercus sexmaculatus. (*Hope.*)
Phoracantha gracilis. (*Perroud.*) (? *Senio.* *Newman.*)
Phoracantha imbellis. (*Newman.*) (? *Epithora dorsalis.* *Macleay.*)
Stenochorus acanthocerus. (*Hope.*)
Stenochorus latus. (*Hope.*)
Stenochorus tunicatus. (*Hope.*)
Stenochorus undulatus. (*Hope.*)
Stenochorus assimilis. (*Hope.*)
Stenochorus vicinus. (*Hope.*)
Stenochorus cruciger. (*Hope.*)
Plocæderus Australasiæ. (*Hope.*)
Clytus sex-maculatus. (*Donovan.*)
Clytus attenuatus. (*Boisduval.*)
Clytus V-album. (*Boisduval.*)
Callidium erosum. (*Macleay.*)
Callidium faber. (*Newman.*)

- Callidium Australe. (*Boisduval.*)
Callidium morosum. (*Boisduval.*)
Callidium funestum. (*Boisduval.*)
Callidium flavomaculatum. (*Blanchard.*)
Phymatodes variabilis. (*Linnæus.*) (introduced.)
Hylotrypes bajulus. (*Linnæus.*) (introduced.)
Pithanotus falsus. (*Newman.*)
Dorx pentamera. (*Newman.*)

A.c.





AN: 2345761



595.76

P

Mitchell Library
DSM/595.76/P

A list of the Australian
Longicorns

2735227

**STATE LIBRARY
OF N.S.W.**



N2735227

